

SAMMONS EQUIPMENT MANUFACTURING CORPORATION Shammi Industries

Heavy duty fixed angle roll-in slide racks. Aluminum & stainless steel

390-A Meyer Circle, Corona, California 92879-1078

Phone (951) 340-3419

Fax (951) 340-2716

- Heavy duty racks for hotels, restaurants, hospitals and bakeries and for roll-in refrigerator service.
- Choice of end loading or side loading.

Specifications:

- **Angle Slides:** 1¹³/₁₆" wide heavy wall double beaded extruded aluminum or 18 Ga. stainless steel angle.
- **Uprights:** 2"x1"x1/8" extruded aluminum channels or heavy gauge stainless steel channels/angles.


- **Top & Bottom:** 2³/₈" x 1" aluminum channels or heavy gauge stainless steel channels/tubing. Frame completely welded at top and bottom.

- **Castors:** 5"x1¹/₄" deluxe, all swivel

NSF[®]

Single End Loading Racks (Except as noted)

Aluminum Model No.	Stainless Steel Model No.	Pan Size (inches)	Pan Capacity	Spacing (inches)	O.A. Dimension (inches)			Weight (Pounds)	
					Width	Depth	Height	Alum.	S.S.
9585-1820	2585-1820	18x26	20	3	20 ³ / ₈	26 ¹ / ₂	69 ⁷ / ₁₆	59	125
9585-1818	2585-1818	18x26	18	3	20 ³ / ₈	26 ¹ / ₂	64 ³ / ₁₆	56	120
9585-1816	2585-1816	18x26	16	3	20 ³ / ₈	26 ¹ / ₂	57 ³ / ₁₆	54	116
9585-1809	2585-1809	18x26	9	3	20 ³ / ₈	26 ¹ / ₂	36	49	112
9585-1824	2585-1824	18x26	24	2 ¹ / ₂	20 ³ / ₈	26 ¹ / ₂	69 ⁷ / ₁₆	65	135
9585-1822	2585-1822	18x26	22	2 ¹ / ₂	20 ³ / ₈	26 ¹ / ₂	64 ³ / ₁₆	62	130
9585-1821	2585-1821	18x26	21	2 ¹ / ₂	20 ³ / ₈	26 ¹ / ₂	61 ¹⁵ / ₁₆	60	125
9585-1819	2585-1819	18x26	19	2 ¹ / ₂	20 ³ / ₈	26 ¹ / ₂	56 ¹⁵ / ₁₆	58	120
9585-1810	2585-1810	18x26	10	2 ¹ / ₂	20 ³ / ₈	26 ¹ / ₂	34 ⁷ / ₁₆	50	110
9585-1815	2585-1815	18x26	15	4	20 ³ / ₈	26 ¹ / ₂	69 ⁷ / ₁₆	53	114
9585-1812	2585-1812	18x26	12	5 ¹ / ₁₆	20 ³ / ₈	26 ¹ / ₂	69 ⁷ / ₁₆	52	112
9585-1811	2585-1811	18x26	11	5 ¹ / ₁₆	20 ³ / ₈	26 ¹ / ₂	64 ³ / ₁₆	51	110
9585-1806	2585-1806	18x26	6	5 ¹ / ₁₆	20 ³ / ₈	26 ¹ / ₂	39 ⁷ / ₁₆	38	86
9585-2010	2585-2010	20x20	10	5 ¹ / ₁₆	22 ³ / ₈	23 ¹ / ₂	59 ⁷ / ₁₆	51	110
9585-2008	2585-2008	Glass	8	6	22 ³ / ₈	23 ¹ / ₂	57 ⁷ / ₁₆	49	112
9585-2005	2585-2005	Racks	5	6	22 ³ / ₈	23 ¹ / ₂	39 ⁷ / ₁₆	38	86
9585-1509	2585-1509	15x20	9	5 ¹ / ₁₆	18 ¹ / ₄	23 ¹ / ₂	55	49	112
9585-1524	2585-1524	15x20	*24	5 ¹ / ₁₆	23	31	69 ⁷ / ₁₆	57	122
9585-1522	2585-1522	15x20	*22	5 ¹ / ₁₆	23	31	64 ³ / ₁₆	55	118
9585-1440	2585-1440	14x18	*40	3	20 ³ / ₈	29	69 ⁷ / ₁₆	62	132
9585-1436	2585-1436	14x18	*36	3	20 ³ / ₈	29	64 ³ / ₁₆	59	123
9585-1424	2585-1424	14x18	*24	5 ¹ / ₁₆	20 ³ / ₈	29	69 ⁷ / ₁₆	54	116
9585-1418	2585-1418	14x18	*18	5 ¹ / ₁₆	20 ³ / ₈	29	55	52	112
9585-2112	2585-2112	**20 ⁷ / ₁₆ x25 ¹ / ₂	12	5 ¹ / ₁₆	23 ³ / ₈	26 ¹ / ₂	69 ⁷ / ₁₆	54	116
9585-2111	2585-2111	**20 ⁷ / ₁₆ x25 ¹ / ₂	11	5 ¹ / ₁₆	23 ³ / ₈	26 ¹ / ₂	64 ³ / ₁₆	52	112
9585-2120	2585-2120	**20 ⁷ / ₁₆ x25 ¹ / ₂	20	3	23 ³ / ₈	26 ¹ / ₂	69 ⁷ / ₁₆	64	138
9585-2118	2585-2118	**20 ⁷ / ₁₆ x25 ¹ / ₂	18	3	23 ³ / ₈	26 ¹ / ₂	64 ³ / ₁₆	61	132
9585-1609	2585-1609	16x22	9	5 ¹ / ₁₆	19 ¹ / ₄	23 ¹ / ₂	55	50	110
9585-1224	2585-1224	12x19 or 12x20 trays	*24	5 ¹ / ₁₆	22 ³ / ₈	26 ¹ / ₂	69 ⁷ / ₁₆	60	128



End Loading
Model 9585-1820

*2 Trays side by side on same pair of slides

**Gastronorm GN 2/1 & European maxipans (530mm x 650mm) 3/4" and 1¹/₂" thick.

Options:

1. Corner Bumpers.
2. Wheel brakes (pair).
3. Vertical Pan stop.
4. Solid base.
5. Wrap around bumper.
6. Floor lock.
7. Polyurethane casters.

Wide Opening Racks (Side loading)

Aluminum Model No.	Stainless Steel Model No.	Pan Size (inches)	Pan Capacity	Spacing (inches)	O.A. Dimension (inches)			Weight (Pounds)	
					Width	Depth	Height	Alum.	S.S.
9585-W-1820	2585-W-1820	18x26	20	3	28 ³ / ₈	18 ¹ / ₂	69 ⁷ / ₁₆	55	110
9585-W-1818	2585-W-1818	18x26	18	3	28 ³ / ₈	18 ¹ / ₂	64 ³ / ₁₆	53	105
9585-W-1817	2585-W-1817	18x26	17	3	28 ³ / ₈	18 ¹ / ₂	59 ⁷ / ₁₆	52	102
9585-W-1812	2585-W-1812	18x26	12	5 ¹ / ₁₆	28 ³ / ₈	18 ¹ / ₂	69 ⁷ / ₁₆	49	98
9585-W-1811	2585-W-1811	18x26	11	5 ¹ / ₁₆	28 ³ / ₈	18 ¹ / ₂	64 ³ / ₁₆	47	95
9585-W-1810	2585-W-1810	18x26	10	5 ¹ / ₁₆	28 ³ / ₈	18 ¹ / ₂	59 ⁷ / ₁₆	46	93
9585-W-1809	2585-W-1809	18x26	9	5 ¹ / ₁₆	28 ³ / ₈	18 ¹ / ₂	55	45	90
9585-W-1612	2585-W-1612	16x22	12	5 ¹ / ₁₆	25 ¹ / ₈	18 ¹ / ₂	69 ⁷ / ₁₆	48	97
9585-W-1609	2585-W-1609	16x22	9	5 ¹ / ₁₆	25 ¹ / ₈	18 ¹ / ₂	55	44	92

Better food service equipment — standard models and custom designs.

Fully assembled racks, aluminum & stainless steel

- 5" casters are standard and racks are fully welded at top & bottom

End Loading Racks (standard duty)

Aluminum Model No.	Stainless Steel Model No.	Pan Size (Inches)	Pan Capacity	Spacing (Inches)	O.A. Dimensions (Inches)			Weight (Pounds)	
					W	D	H	Alum	S/S
9580-20	2580-20	18 x 26	20	3	20 $\frac{3}{8}$	26 $\frac{1}{2}$	69 $\frac{7}{16}$	56	69
9580-18	2580-18	18 x 26	18	3	20 $\frac{3}{8}$	26 $\frac{1}{2}$	64 $\frac{3}{16}$	54	66
9580-10	2580-10	18 x 26	10	3	20 $\frac{3}{8}$	26 $\frac{1}{2}$	39	52	63
9580-30	2580-30	18 x 26	30	2	20 $\frac{3}{8}$	26 $\frac{1}{2}$	69 $\frac{7}{16}$	75	90
9580-24	2580-24	18 x 26	24	2 $\frac{1}{2}$	20 $\frac{3}{8}$	26 $\frac{1}{2}$	69 $\frac{7}{16}$	60	72
9580-22	2580-22	18 x 26	22	2 $\frac{1}{2}$	20 $\frac{3}{8}$	26 $\frac{1}{2}$	64	57	68
9580-1810	2580-1810	18 x 26	10	2 $\frac{1}{2}$	20 $\frac{3}{8}$	26 $\frac{1}{2}$	34	40	51
9580-12	2580-12	18 x 26	12	5 $\frac{1}{16}$	20 $\frac{3}{8}$	26 $\frac{1}{2}$	69 $\frac{7}{16}$	46	57
9580-11	2580-11	18 x 26	11	5 $\frac{1}{16}$	20 $\frac{3}{8}$	26 $\frac{1}{2}$	64 $\frac{3}{16}$	44	55
9580-15	2580-15	18 x 26	15	4	20 $\frac{3}{8}$	26 $\frac{1}{2}$	69 $\frac{7}{16}$	40	52

NOTE: End loading racks for 18"x 26" bun pans are also available as roll-in racks.
Medium duty racks are also available. Consult factory. For options, see page D-3.

Wide Open Racks (standard duty)

Aluminum Model No.	Stainless Steel Model No.	Pan Size (Inches)	Pan Capacity	Spacing (Inches)	O.A. Dimensions (Inches)			Weight (Pounds)	
					W	D	H	Alum	S/S
9580-W-20	2580-W-20	18 x 26	20	3	28 $\frac{3}{8}$	18 $\frac{1}{2}$	69 $\frac{7}{16}$	50	69
9580-W-18	2580-W-18	18 x 26	18	3	28 $\frac{3}{8}$	18 $\frac{1}{2}$	64 $\frac{3}{16}$	48	60
9580-W-12	2580-W-12	18 x 26	12	5 $\frac{1}{16}$	28 $\frac{3}{8}$	18 $\frac{1}{2}$	69 $\frac{7}{16}$	40	52

End Loading Rack (economy)

Aluminum Model Number	Pan Size (Inches)	Pan Capacity	Pan Spacing (Inches)	O.A. Dimensions (Inches)			Weight (Pounds)
9581-EC-20	18 x 26	20	3	20 $\frac{3}{8}$	26 $\frac{1}{2}$	70	46

NSF

Knocked down (K.D.) type racks, aluminum

- Knocked down construction for easy assembly & freight savings.
- All K.D. units can be shipped via U.P.S.
- 5" plate casters provide extra rigidity at base compared to stem casters.
- All aluminum construction.

For 18"x 26" Bun Pans (end loaded)

Type	Model Number	Pan Capacity	Pan Spacing (Inches)	O.A. Dimensions (Inches)			Weight (Pounds)
				W	D	H	
Economy	9581-ECKD-20	20	3	20 $\frac{3}{8}$	26 $\frac{1}{2}$	70	45
Std. Duty	9581-KD-20	20	3	20 $\frac{3}{8}$	26 $\frac{1}{2}$	70	58

NOTES 1: These racks are also available in side load construction. Add "-W" after model number

For Donut Screens (end loaded, except as noted)

9581-ECKD-20

Model Number	Screen Size (Inches)	Screen Capacity	Screen Spacing (Inches)	O.A. Dimensions (Inches)			Weight (Pounds)
				W	D	H	
9581-KD-2420	23 x 23 or 24 x 24	20	3	26 $\frac{3}{8}$	26 $\frac{1}{2}$	70	62
9581-KD-3420	*23 x 33 or 24 x 34	20	3	36 $\frac{3}{8}$	26 $\frac{1}{2}$	70	64

*Side loaded.

- NOTES 1: All knocked down racks are also available as fully assembled & welded at top & bottom. Delete "-KD" from model number.
2: Knocked down racks are also available for other pan sizes & spacings as well as in heavier duty construction. Economy racks for wire screens are also available. Consult factory.



9580-20




9580-W-20




9581-ECKD-20

- Choice of many styles at exceptional price.
- Fully assembled racks.

These hi-tensile all aluminum value line racks are offered with economy in mind for standard duty application. Angle slides allow pans to ride on the bottom, whereas extruded side panels and corrugated side racks permit the pans to ride on the outer bead. Universal angle slides allow various size pans like 18" x 26", 12" x 20", 20" x 22" gastronorm (GN 1/1 and GN 2/1) and many others to fit in the same rack with slides adjustable on 1½" centers. All racks are furnished with 5" x 1¼" casters.



Angle Slide Rack
Model 9587-LS-20



Extruded Side Panel Rack
Model 9587-SP-39



Oval Tray Slide Rack
Model 9587-OT-10



Corrugated Sides Rack
Model 9587-CR-39



Universal Angle Rack
Model 9587-UA-12

(All racks shown with pans not furnished)

Type	Model Number	Pan Size (inches)	Slide Spacing (inches)	Pan Capacity (inches)	Overall Dimensions (inches)			Weight (Pounds)
					Width	Depth	Height	
Angle Slide	9587-LS-20	18 x 26	3	20	20 ⁵ / ₈	26 ¹ / ₂	69 ⁷ / ₁₆	69
	9587-LS-18	18 x 26	3	18	20 ⁵ / ₈	26 ¹ / ₂	64 ³ / ₁₆	66
Extruded Side Panels	9587-SP-39	18 x 26	1½	39	20 ⁵ / ₈	26 ¹ / ₂	69 ⁷ / ₁₆	68
	9587-SP-35	18 x 26	1½	35	20 ⁵ / ₈	26 ¹ / ₂	64 ³ / ₁₆	63
Corrugated Sides	9587-CR-39	18 x 26	1½	39	20 ⁵ / ₈	26 ¹ / ₂	69 ⁷ / ₁₆	59
Channel Slides	9587-CS-38	18 x 26	1½	38	20 ⁵ / ₈	26 ¹ / ₂	69 ⁷ / ₁₆	67
	9587-CS-34	18 x 26	1½	34	20 ⁵ / ₈	26 ¹ / ₂	64 ³ / ₁₆	62
Universal Angle	9587-UA-12	Note 1	*4½	12	26	26½	64¼	76
	9587-UA-13	Note 1	*4½	13	26	26½	68¾	82
Oval Tray Slide	9587-OT-10	Note 2	6	10	26⅞	29	69⅞	80

*Adjustable on 1½" centers.

NOTE 1: Each set of universal angle slide will accommodate one (1) each 18" x 26" bun pan or 20" x 20" baking pan or glass rack, or (GN 2/1) pan or two (2) each 12" x 20" steam pan or 14" x 18" trays or 13¾" x 20¾" school baskets or (GN 1/1) pans.

NOTE 2: Oval tray rack will accommodate 20¾" x 25½" and 22¾" x 27½" oval trays.

Options:

- A. Four Corner Bumpers.
B. Wheel Brakes.

- C. 5" Polyurethane Casters.
D. Solid Base.

- E. Pan stop.



Better food service equipment — standard models and custom designs.